

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S187	12	((("20050091199") or ("6088691") or ("5832477") or ("5822750") or ("5680603") or ("5548755"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/02 17:08
S188	51	("5548755" "5548758").PN. OR ("5822750").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S189	26	("5822750" "5950186" "6032143" "6067542").PN. OR ("6356887").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S190	19209	(build\$3 construct\$3 transform\$3) same query	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S191	6849	(build\$3 construct\$3 transform\$3) same query and sql	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S192	370	(build\$3 construct\$3 transform\$3) same (query same template) and sql	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S193	395	((build\$3 construct\$3 transform\$3) adj5 query) and (query same template) and sql	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S194	214	((build\$3 construct\$3 transform\$3) adj5 query) and (query adj5 template) and sql	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S195	193	(build\$3 construct\$3) same sql same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S196	25	(build\$3 construct\$3) same (sql near4 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S197	111	(sql near4 template) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08

S198	12	S197 and alias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S199	17	sql same template same placeholder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S200	111	(sql near4 template) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S201	12	S200 and alias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S202	5	sql same template same placeholder and alias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S203	2485	optimum same join	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S204	23	(optimize adj3 join) same sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S205	67	(optimiz\$3 adj3 join) same sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S206	28	(alias adj3 list) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S207	36	(clause near2 generat\$3) same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08

S208	0	(where adj3 clause adj3 alias adj3 list) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S209	0	(where same clause same alias) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S210	3268	(check\$3 verify\$3) same alias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S211	111	(check\$3 verify\$3) same alias same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S212	578	(column field) same alias same list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S213	67	(column field) same (alias adj2 list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S214	42	(column field) same (alias adj2 list) and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S215	15	(unnecessary near4 table) same join	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S218	2	(US-20020169768-\$ or US-20020143749-\$ or US-20030093374-\$ or US-20040220928-\$ or US-20040220917-\$).did. or (US-5664173-\$ or US-6748374-\$).did.	US-PGPUB; USPAT	OR	ON	2008/07/02 17:08
S219	2	("20050091199").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/02 17:08

S220	12	((("20050091199") or ("6088691") or ("5832477") or ("5822750") or ("5680603") or ("5548755")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/02 17:08
S221	51	("5548755" "5548758"). PN. OR ("5822750").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S222	26	("5822750" "5950186" "6032143" "6067542"). PN. OR ("6356887").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S223	193	(build\$3 construct\$3)same sql same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S224	25	(build\$3 construct\$3)same (sql near4 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S227	17	sql same template same placeholder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S230	5	sql same template same placeholder and alias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S231	23	(optimize adj3 join) same sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S232	67	(optimiz\$3 adj3 join) same sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S233	28	(alias adj3 list) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S234	36	(clause near2 generat\$3) same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08

S235	0	(where adj3 clause adj3 alias adj3 list) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S236	0	(where same clause same alias) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S238	67	(column field) same (alias adj2 list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S239	42	(column field) same (alias adj2 list) and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S240	15	(unnecessary near4 table) same join	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S241	4	((("6640221") or ("6553371")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/02 17:08
S242	4	S241 and (necessary join list alias clause generation "where")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S243	2	(US-20020169768-\$ or US-20020143749-\$ or US-20030093374-\$ or US-20040220928-\$ or US-20040220917-\$).did. or (US-5664173-\$ or US-6748374-\$).did.	US-PGPUB; USPAT	OR	ON	2008/07/02 17:08
S244	48	placeholder with sql	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S245	30	(placeholder with sql) and placeholder and @ad< "20031023"	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S246	22	(query adj builder) with (form place\$holder)	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08

S247	3	(query adj builder) and (name\$1place name \$holder place\$1holder) and database	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S248	5	sql near placeholder	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S249	7	sql with table with placeholder	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S250	3	dynamic adj sql with template	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S251	47	dynamic adj sql and placeholder	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S252	2	dynamic adj sql same placeholder	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S253	44	dynamic adj sql and placeholder and @ad< "20031023"	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S254	14	("6009428" "6122627" "6134540" "6226637" "6236997" "6356913" "6366917").PN. OR ("6694321").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S255	5	(query adj builder).ti.	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S256	15	(query adj builder).ab.	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S257	955	(sql tempalte).ab.	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S258	7	(sql with template).ab.	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S259	16	(sql and template).ab.	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S260	2	(query near2 builder) same sql same table same filter	USPAT	OR	ON	2008/07/02 17:08
S261	4	(query near2 builder) same join	USPAT	OR	ON	2008/07/02 17:08
S262	125	(alias near list)	USPAT	OR	ON	2008/07/02 17:08
S263	19	(alias near list) with database	USPAT	OR	ON	2008/07/02 17:08
S264	23	(alias near list) with table	USPAT	OR	ON	2008/07/02 17:08

S265	84	("4068304" "4087794" "4506326" "4635208" "4686522" "4815029" "4821211" "4843538" "4853843" "4868766" "4873623" "4885717" "4899136" "4933514" "4939507" "4945475" "4951190" "4953080" "4984152" "4989132" "4996654" "5001697" "5019961" "5040131" "5041967" "5041982" "5121477" "5175814" "5228723" "5261093" "5263167" "5276870"). PN. OR ("5418950").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S266	2	("20050091199").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/02 17:08
S267	12	((("20050091199") or ("6088691") or ("5832477") or ("5822750") or ("5680603") or ("5548755")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/02 17:08
S268	51	("5548755" "5548758"). PN. OR ("5822750").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S269	26	("5822750" "5950186" "6032143" "6067542"). PN. OR ("6356887").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S270	193	(build\$3 construct\$3)same sql same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S272	111	(sql near4 template) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S274	17	sql same template same placeholder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S277	5	sql same template same placeholder and alias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08

S278	23	(optimize adj3 join) same sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S279	67	(optimiz\$3 adj3 join) same sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S280	28	(alias adj3 list) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S281	36	(clause near2 generat\$3) same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S282	67	(column field) same (alias adj2 list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S283	42	(column field) same (alias adj2 list) and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S284	15	(unnecessary near4 table) same join	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S287	2	(US-20020169768-\$ or US-20020143749-\$ or US-20030093374-\$ or US-20040220928-\$ or US-20040220917-\$).did. or (US-5664173-\$ or US-6748374-\$).did.	US-PGPUB; USPAT	OR	ON	2008/07/02 17:08
S289	2	(US-20020169768-\$ or US-20020143749-\$ or US-20030093374-\$ or US-20040220928-\$ or US-20040220917-\$).did. or (US-5664173-\$ or US-6748374-\$).did.	US-PGPUB; USPAT	OR	ON	2008/07/02 17:08

S290	42	(column field) same (alias adj2 list) and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S292	28	(alias adj3 list) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S295	51	("5548755" "5548758"). PN. OR ("5822750").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S296	12	((("20050091199") or ("6088691") or ("5832477") or ("5822750") or ("5680603") or ("5548755"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/02 17:08
S297	4	((("6640221") or ("6553371"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/02 17:08
S298	67	(column field) same (alias adj2 list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S299	17	sql same template same placeholder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S300	4	S297 and (necessary join list alias clause generation "where")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S301	26	("5822750" "5950186" "6032143" "6067542"). PN. OR ("6356887").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S302	25	(build\$3 construct\$3)same (sql near4 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S303	23	(optimize adj3 join) same sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08

S304	5	sql same template same placeholder and alias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S305	15	(unnecessary near4 table) same join	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S306	36	(clause near2 generat\$3) same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S307	2	("20050091199").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/02 17:08
S308	67	(optimiz\$3 adj3 join) same sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:08
S309	48	placeholder with sql	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S310	30	(placeholder with sql) and placeholder and @ad< "20031023"	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S311	22	(query adj builder) with (form place\$1holder)	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S312	3	(query adj builder) and (name\$1place name \$holder place\$1holder) and database	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S313	5	sql near placeholder	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S314	7	sql with table with placeholder	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S315	47	dynamic adj sql and placeholder	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S316	3	dynamic adj sql with template	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S317	2	dynamic adj sql same placeholder	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S318	44	dynamic adj sql and placeholder and @ad< "20031023"	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08

S319	14	("6009428" "6122627" "6134540" "6226637" "6236997" "6356913" "6366917").PN. OR ("6694321").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S320	5	(query adj builder).ti.	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S321	15	(query adj builder).ab.	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S322	7	(sql with template).ab.	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S323	16	(sql and template).ab.	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S324	2	(query near2 builder) same sql same table same filter	USPAT	OR	ON	2008/07/02 17:08
S325	4	(query near2 builder) same join	USPAT	OR	ON	2008/07/02 17:08
S326	125	(alias near list)	USPAT	OR	ON	2008/07/02 17:08
S327	19	(alias near list) with database	USPAT	OR	ON	2008/07/02 17:08
S328	23	(alias near list) with table	USPAT	OR	ON	2008/07/02 17:08
S329	84	("4068304" "4087794" "4506326" "4635208" "4686522" "4815029" "4821211" "4843538" "4853843" "4868766" "4873623" "4885717" "4899136" "4933514" "4939507" "4945475" "4951190" "4953080" "4984152" "4989132" "4996654" "5001697" "5019961" "5040131" "5041967" "5041982" "5121477" "5175814" "5228723" "5261093" "5263167" "5276870").PN. OR ("5418950").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S330	22	qp with (field column) with (filter condition)	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S331	23	(qp (query near2 plan)) with (field column) with (filter condition) and database	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08
S332	17	(qp (query near2 program)) with (field column) with (filter condition) and database	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:08

S335	84	("4068304" "4087794" "4506326" "4635208" "4686522" "4815029" "4821211" "4843538" "4853843" "4868766" "4873623" "4885717" "4899136" "4933514" "4939507" "4945475" "4951190" "4953080" "4984152" "4989132" "4996654" "5001697" "5019961" "5040131" "5041967" "5041982" "5121477" "5175814" "5228723" "5261093" "5263167" "5276870"). PN. OR ("5418950").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/02 17:08
S337	1	"20050091199".pn. and (unnecessary with join)	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:23
S338	1	"20050091199".pn. and (join)	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:23
S339	1	"20050091199".pn. and ((necessary unnecessary) same join)	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:24
S340	1	"5418950".pn. and (necessary unnecessary)	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:46
S341	1	"5418950".pn. and (join \$3)	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:46
S342	1	"5418950".pn. and (table)	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 17:49
S343	1	"5418950".pn. and (computer memory database)	US-PGPUB; USPAT; EPO	OR	ON	2008/07/03 21:05
S344	4	((("6640221") or ("20030167258"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/05 09:58
S345	1	"5418950".pn. and (identify \$3)	US-PGPUB; USPAT; EPO	OR	ON	2008/07/05 09:58
S346	1	"20030167258".pn. and join	US-PGPUB; USPAT; EPO	OR	ON	2008/07/05 10:12

7/ 5/ 2008 11:20:35 AM

C:\Documents and Settings\slin\My Documents\EAST\Workspaces\10692166-102303.wsp